

HOSPITAL REGULATION: The signature of physician must accompany all orders.

NKA: NO KNOWN ALLERGIES

ALLERGIES:

Instructions: Any order with a check mark will be ordered. If there is a checked order that you DO NOT want, please strike through the order. All orders with a blank check box WILL NOT be ordered unless marked with a check.

**\*\*REQUIRED\*\* Status Orders (SELECT ONE)**

Admit to Inpatient

Observation

- Service: \_\_\_\_\_
- Admitting Physician: \_\_\_\_\_
- Level of Care:  Acute Care  Intermediate Care  Critical Care  \_\_\_\_\_
- Patient Class: Inpatient
- Unit: \_\_\_\_\_
- Diagnosis: \_\_\_\_\_
- Estimated Length of Stay?  Past midnight tomorrow  3-4 days  5-7 days  Greater than 1 week  
 Greater than 2 weeks  Less than 2 midnights (IP only procedure)
- Medical Necessity:  See H&P
- Plans for post-hospital care:  Home with self/family care  Rehabilitation facility  
 Home with home health services  Skilling nursing facility

**\*\*REQUIRED\*\* Code Status**

Full Code

**Isolation:**

Airborne Precautions

Droplet Precautions

Contact Precautions

**Diet:**

NPO Effective Now

NPO After Midnight

NPO May Have Ice Chip

Pediatric Diet- Regular

Pediatric Diet- Clear Liquid

Advance diet as tolerated- target diet \_\_\_\_\_ when the following criteria is met: \_\_\_\_\_

**Activity:**

Activity as tolerated

Up with assistance

Bed rest

ambulate patient

Bed rest with bathroom privileges

**Nursing: Vital Signs**

Vital Signs per unit protocol

Pulse oximetry- spot once on admission

Pulse oximetry- continuous

**Notify Physician**

Notify physician- vital signs parameter less than 6 months-

- Resp rate greater than 60, Heart rate greater than 190 or less than 80

Notify physician- vital signs parameter less than 6-12 months

- Resp rate greater than 60, Heart rate greater than 180 or less than 80

Notify physician- vital signs parameter less than 1-3 years

- Resp rate greater than 40, Heart rate greater than 160 or less than 70

Notify physician- vital signs parameter less than greater than 4 years

- Resp rate greater than 30, Heart rate greater than 140 or less than 60

**Nursing Assessments**

Daily weights

Weigh patient every other day

Strict intake and output

Weigh diapers

Neurovascular checks every 4 hrs

Cardiorespiratory monitoring

**Nursing Interventions**

Insert INT

May use home cardiac apnea monitor PRN

Warm compress to affected area

Suction PRN

**Respiratory Interventions**

Pediatric Oxygen Therapy- Nasal cannula \_\_\_\_\_ L/min. Keep O2 sat greater than  88%  90%  92%

**Precautions**

Seizure Precautions

Reflux Precautions

**IV Fluids Bolus**

NS bolus IV \_\_\_\_\_ mL over 1 hour

Date:

Time:

Doctor's Signature:

Dictation ID #

NGMC PHYSICIAN ORDER #304140002 (9/25/2017)



Northeast Georgia Medical Center



**PEDIATRIC ADMISSION ORDERS**  
**PAGE 1 OF 3**

HOSPITAL REGULATION: The signature of physician must accompany all orders.

NKA: NO KNOWN ALLERGIES

ALLERGIES:

Instructions: Any order with a check mark will be ordered. If there is a checked order that you DO NOT want, please strike through the order. All orders with a blank check box WILL NOT be ordered unless marked with a check.

**IV Fluids Infusions**

- D51/4 NS IV at \_\_\_\_\_ mL/hr
- D51/2 NS IV at \_\_\_\_\_ mL/hr
- D51/4 NS + 20 mEq KCl IV at \_\_\_\_\_ mL/hr
- D51/2 NS + 20 mEq KCl IV at \_\_\_\_\_ mL/hr

**Meds: Antibiotics**

- Ampicillin (Omnipen) IVPB \_\_\_\_\_ mg/kg/day Reason \_\_\_\_\_
- Cefotaxime (Claforan) IV \_\_\_\_\_ mg/kg/day Reason \_\_\_\_\_
- CefTRIAxone (Rocephin) IVPB \_\_\_\_\_ mg/kg Reason \_\_\_\_\_ Administer over 30 mins
- Gentamycin (Garamycin) IVPB \_\_\_\_\_ mg/kg Reason \_\_\_\_\_ Administer over 30 mins
- Pharmacy to dose Gentamycin Indication \_\_\_\_\_
- Vancomycini (Vancocin) IVPB \_\_\_\_\_ mg/kg Reason \_\_\_\_\_ If trough greater than 20, HOLD one dose.
- Clindamycin (Cleocin) IVPB \_\_\_\_\_ mg/kg/day Reason \_\_\_\_\_ Administer over 60 mins
- Acyclovir (Zovirax) IVPB \_\_\_\_\_ mg/kg Reason \_\_\_\_\_ Administer over 60 mins

Acyclovir - Dosing and Interval based on CrCL:

Greater than 50	Interval- q 8 hours	Dose- 5 or 10 mg/kg, 500 mg
30-50	Interval q 12 hours	Dose- 5 or 10 mg/kg, 500 mg
10-29	Interval q 24 hours	Dose- 5 or 10 mg/kg, 500 mg
Less than 10 or HD	Interval q 24 hours	Dose- 2.5 or 5 mg/kg, 500 mg
CRRT	Interval q 24 hours	Dose- 5 or 7.5 mg/kg, 500 mg

- Azithromycin (Azithromax) Oral suspension 10 mg/kg once followed by 5 mg/kg daily x4 doses

**Antifungals:**

- Nystatin (Mycostatin) 100,000 units/mL suspension swish and spit x4 daily
- Nystatin (Mycostatin) cream 1 application to affected area topical x2 daily

**Mild Pain, Irritability, or Temperature \*\*\*DO NOT order IBUPROFEN on patient less than 6 months old\*\*\***

- Acetaminophen (Tylenol) liquid 15 mg/kg q4 hours PRN for mild pain (pain scale 1-3), irritability or temp 100.5 or greater
- Acetaminophen (Tylenol) suppository 15 mg/kg rectal q4 hours PRN for mild pain (pain scale 1-3), irritability or temp 100.5 or greater
- Acetaminophen (Tylenol) tab 325 mg oral q4 hours PRN for mild pain (pain scale 1-3), irritability or temp 100.5 or greater
- Ibuprofen (Advil, Motrin) 100mg/ 5 mL suspension 10mg/kg oral every 6 hrs PRN for mild pain (pain scale 1-3), irritability or temp 100.5 or greater
- Ibuprophen (Motrin) tab 200 mg oral every 6 hrs PRN for mild pain (pain scale 1-3), irritability or temp 100.5 or greater

**Antiemetics:**

- Ondansetron (Zofran) oral or IV (panel)- *If less than 40 kg*
  - Odansetron (Zofran) 0.1 mg/kg Oral every 12 hours PRN for nausea or vomiting
  - OR-
  - Odansetron (Zofran) 0.22 mg IV every 12 hours PRN for nausea or vomiting
- OR-
- Ondansetron (Zofran) Oral or IV (panel)- *If weight greater or equal to 40 mg*
  - Odansetron (Zofran) 4 mg Oral every 12 hours PRN for nausea or vomiting
  - OR-
  - Odansetron (Zofran) 4 mg IV every 12 hours PRN for nausea or vomiting

**PRN Meds:**

Mineral oil hydrophil petrolat (Aquaphor) ointment 1 application topical PRN dry skin, irritation. Apply to diaper area

- Sodium chloride (AVR) 0.65% nasal drop nasal PRN for congestion

Date:	Time:	Doctor's Signature:	Dictation ID #
-------	-------	---------------------	----------------

NGMC PHYSICIAN ORDER #304140002 (9/25/2017)



HOSPITAL REGULATION: The signature of physician must accompany all orders.

NKA: NO KNOWN ALLERGIES  
ALLERGIES:

*Instructions: Any order with a check mark will be ordered. If there is a checked order that you DO NOT want, please strike through the order. All orders with a blank check box WILL NOT be ordered unless marked with a check.*

**Labs**

- Pediatric panel
- Basic Metabolic Panel
- CBC w Auto Differential
- Bilirubin, neonatal
- Sedimentation rate, automated
- Comprehensive Metabolic Panel
- CBC w/o Auto Differential
- C-reactive protein
- Bilirubin, direct

**Microbiology:**

- Blood culture
- RSV Screen
- Giardia/ Cryptosporidium antigens, DFA
- Rotavirus antigen, stool
- WBC stool
- Ova and parasite
- Stool culture

**Urine:**

- Urinalysis
- Urine culture
- clean catch
- catheter

**Imaging: X-rays**

- X-ray chest 1 view      Once Routine today      Reason\_\_\_\_\_
- XR Chest PA and Lateral      Once Routine today      Reason\_\_\_\_\_
- X-ray abdominal KUB      Once Routine today      Reason\_\_\_\_\_

Date:      Time:      Doctor's Signature:      Dictation ID #

NGMC PHYSICIAN ORDER #304140002 (9/25/2017)



Northeast Georgia Medical Center

